

UTILITY INSPECTION SYSTEMS

subsite.com



The CUBE

Portable Mainline System

The CUBE

Portable Mainline System

EVERYTHING YOU NEED, BOXED UP AND READY TO GO.

The CUBE includes nearly everything our vans, high cubes, and other mobile systems offer in a portable, self-contained CCTV inspection workstation. Load it on a trailer, set it in a truck bed, or carry it on the back of an ATV. The CUBE is ideal for accessing tight spaces and easements with our complete line of durable inspection technologies.

2200-watt, 120V inverter Honda generator is quiet (48 to 57 dBA), lightweight (less than 47 lbs), and fuel efficient (up to 8.1 hrs on 0.95 gal of gas).



Slide-out shelf with heavy-duty ball bearings for easy-pull action and durability.

Ducted cabinet lets you run generator with door open or closed.

General Features

- :: "Plug-and-play" compatibility with any Subsite Electronics camera/transporter combination.
- :: Can be configured to operate a mainline system with up to 1,500 feet of cable.
- :: Highly water resistant from the door and panel design all the way to the sealed rivets.
- :: Fits on an ATV or in the bed of a pickup truck.
- :: Single-conductor technology for significant cost and performance advantages over multiconductor technology through interchangeability of components, backwards and forwards compatibility, and reduced downtime.
- :: 45"H x 44"W x 42"D, approximately 850 pounds, depending upon the amount of cable.

Available Transporters/Cameras




Transporter: Mighty Mini
Cameras: OmniStar Probe, 1306



Camera: **TrakStar II**



Transporter: **TranStar**Camera: **TrakStar**





Transporter: **ProTrak**Cameras: **TrakStar II**



TRANSPORTER SPECIFICATIONS



| | MIGHTY MINI | LATERAL LAUNCH | TRANSTAR II | TRANSTAR | PROTRAK | STORM DRAIN |
|-----------------------------|----------------|-------------------|---------------|---------------|------------------------|----------------|
| PIPE SIZES | 4" to 12" | 6" to 24" | 6" to 24" | 6" to 30" | 6" (relined) to 30" | 24" and up |
| STEERABLE | - | - | ✓ | ✓ | - | ✓ |
| ELEVATOR | √ (manual) | ✓ | ✓ | ✓ | - | ✓ |
| WEIGHT (w/o camera) | 15 lbs | 42.5 lbs | 30 lbs | 37.5 lbs | 33 lbs | 100 lbs |
| LENGTH (w/o camera) | 11" | 32" | 14" | 19" | 27" | 36" |
| SPEEDS (Forward/Reverse) | 3/1/freewheel | 3/1/freewheel | 3/1/freewheel | 3/1/freewheel | 3/1/freewheel | 3/1/freewheel |
| MOTOR/POWER | 90W | 90W | 2 x 90W | 2 x 90W | 150W | 125W |

The industry's ONLY CABLE WARRANTY—1 YEAR The industry's BEST 1-YEAR TRANSPORTER WARRANTY

More Than 30 Years of Innovation.

Our inspection system technology traces its roots back three decades with many innovative "firsts" to the marketplace.

- :: First mainline color camera featuring internal lights.
- :: First U.S. manufacturer to build a true pan-and-tilt camera with tracking lights.
- :: First to manufacture cable reels that offer "electrical gear selection" and a true freewheeling cable drum.
- :: First tractor design to provide freewheeling for rapid return.

- :: First to design an electronic circuit to double tractor torque without increasing supply current.
- :: First to introduce a steerable storm drain tractor or large pipeline tractor.
- :: First U.S. company to design an explosionproof camera and tractor approved for Class I Division I applications.
- :: First to design a universal tap-cutting control system for single-conductor camera systems.
- :: First to design single conductor laser and sonar profiling systems.
- :: First manufacturer to produce a single conductor panomorphic camera system.

To find a Utility Inspection System dealer near you, visit subsite.com/find-a-dealer.

